INDEX TO AUTHORS

AMES, ELIZABETH. See GOOR, PAPPENHEIMER, and AMES, 923

ANTHONY, BASCOM F. See TOP, WANNAMAKER, MAXTED, and ANTHONY, 667

ATKINS, ELISHA, BODEL, PHYLLIS, and FRANCIS, LORRAINE. Release of an endogenous pyrogen in vitro from rabbit mononuclear cells, 357

AUERBACH, ROBERT. See GLOBERSON and AUERBACH, 223

BALLANTYNE, DONALD L., JR. See ROTHER, BALLANTYNE, COHEN, and ROTHER, 565

BEARN, ALEXANDER G. See DANES and BEARN, 509

BENACERRAF, BARUJ. See GREEN, PAUL, and BENACERRAF, 959

—. See NUSSENZWEIG and BENACERRAF, 727

BERG, PETER A., DONIACH, DEBORAH, and ROITT, IVAN M. Mitochondrial antibodies in primary biliary cirrhosis. I. Localization of the antigen to mitochondrial membranes, 277

BILLINGHAM, R. E. See STREILEIN and BILLINGHAM, 455

BISHOP, CARTER R. See BOGGS, MARSH, CHERVENICK, BISHOP, CARTWRIGHT, and WINTROBE, 851

—. See MARSH, BOGGS, BISHOP, CHERVENICK, CARTWRIGHT, and WINTROBE, 833

BODEL, PHYLLIS. See ATKINS, BODEL, and FRANCIS, 357

BOGGS, DANE R., MARSH, JOHN C., CHERVENICK, PAUL A., BISHOP, CARTER R., CARTWRIGHT, GEORGE E., and WINTROBE, MAXWELL M. Factors influencing hematopoietic spleen colony formation in irradiated mice. II. The effect of foreign materials, 851

BOGGS, DANE R., MARSH, JOHN C., CHERVENICK, PAUL A., CARTWRIGHT, GEORGE E., and WINTROBE, MAXWELL M. Factors influencing hematopoietic spleen colony formation in irradiated mice. III. The effect of repetitive irradiation upon proliferative ability of colony-forming cells, 871

—. See MARSH, BOGGS, BISHOP, CHERVENICK, CARTWRIGHT, and WINTROBE, 833

BONVENTRE, PETER F., and IMHOFF, JOHN G. Studies on the mode of action of diptheria toxin. II. Protein synthesis in primary heart cell cultures, 1079

BRODY, NEIL I., WALKER, J. GEOFFREY, and SISKIND, GREGORY W. Studies on the control of antibody synthesis. Interaction of antigenic competition and suppression of antibody formation by passive antibody on the immune response, 81

BUMP, SUSAN. See DAVISON, LEVINE, DRAKE, RUBIN, and BUMP, 331

CARPENTER, C. B. See GUTTMANN, CARPENTER, LINDQUIST, and MERRILL, 1099

CARTWRIGHT, GEORGE E. See BOGGS, MARSH, CHERVENICK, BISHOP, CARTWRIGHT, and WINTROBE, 851

—. See BOGGS, MARSH, CHERVENICK, CARTWRIGHT, and WINTROBE, 871

CARTWRIGHT, GEORGE E. See MARSH, BOGGS, BISHOP, CHERVENICK, CARTWRIGHT, and WINTROBE, 833
CHAR, DAVID C. See HAHN, CHAR, POSTEL, and WOOD, 385
CHERVENICK, PAUL A. See BOGGS, MARSH, CHERVENICK, BISHOP, CARTWRIGHT, and WINTROBE, 851
—. See BOGGS, MARSH, CHERVENICK, CARTWRIGHT, and WINTROBE, 871
—. See MARSH, BOGGS, BISHOP, CHERVENICK, CARTWRIGHT, and WINTROBE, 833
CHOPPIN, PURNELL W. See COMPANS, HARTER, and CHOPPIN, 267
—. See HARTER and CHOPPIN, 251
CHOU, CHI-TAO, DUBISKI, S., and CINADER, BERNHARD. Cells as antigen carriers and as immunoglobulin producers. Synthesis of antibody and allogeneic immunoglobulin after transfer of antigen-treated cells to newborn rabbits, 305
CINADER, BERNHARD. See CHOU, DUBISKI, and CINADER, 305
COHEN, CARL. See ROTHER, BALLANTYNE, COHEN, and ROTHER, 565
COHN, ZANVIL A. See EHRENREICH and COHN, 941
COLE, LEONARD J. See MILLER and COLE, 109
COMPANS, RICHARD W., HARTER, DONALD H., and CHOPPIN, PURNELL W. Studies on pneumonia virus of mice (PVM) in cell culture. II. Structure and morphogenesis of the virus particle, 267
CURRY, J. L., and TRENTIN, J. J. Hematopoietic spleen colony studies. IV. Phytohemagglutinin and hematopoietic regeneration, 819

DAHL, LEWIS K., KNUDSEN, KNUD D., HEINE, MARTHA, and LEITL, GEORGE. Effects of chronic excess salt ingestion. Genetic influence on the development of salt hypertension in parabiotic rats: Evidence for a humoral factor, 687
DANES, B. SHANNON, and BEARN, ALEXANDER G. Hurler's syndrome: A genetic study of clones in cell culture with particular reference to the Lyon hypothesis, 509
DAVENPORT, F. M., HENNESSY, A. V., and MINUSE, ELVA. Further observations on the significance of A/equine-2/63 antibodies in man, 1049
DAVISON, PETER F., LEVINE, LAWRENCE, DRAKE, MAURICE P., RUBIN, ALBERT, and BUMP, SUSAN. The serologic specificity of tropocollagen telopeptides, 331
DIAS DA SILVA, W., EISELE, JOHN W., and LEPOW, IRWIN H. Complement as a mediator of inflammation. III. Purification of the activity with anaphylatoxin properties generated by interaction of the first four components of complement and its identification as a cleavage product of C'3, 1027
DIENER, E. See ROBINSON, MARBROOK, and DIENER, 347
DIXON, FRANK J. See LERNER, GLASSOCK, and DIXON, 989
DONIACH, DEBORAH. See BERG, DONIACH, and ROITT, 277
DRAKE, MAURICE P. See DAVISON, LEVINE, DRAKE, RUBIN, and BUMP, 331
DRUTZ, DAVID J., KOENIG, M. GLENN, and ROGERS, DAVID E. Further observations on the mechanism of reticuloendothelial blockade, 1087
DUBISKI, S. See CHOU, DUBISKI, and CINADER, 305
DUTTON, RICHARD W., and MISHELL, ROBERT I. Cell populations and cell proliferation in the in vitro response of normal mouse spleen to heterologous erythrocytes. Analysis by the hot pulse technique, 443
—. See MISHELL and DUTTON, 423

EHRENREICH, BARBARA A., and COHN, ZANVIL A. The uptake and digestion of iodinated human serum albumin by macrophages in vitro, 941

EIDINGER, DAVID, and PROSS, HUGH F. The immune response to sheep erythrocytes in the mouse. I. A study of the immunological events utilizing the plaque technique, 15

EISELE, JOHN W. See DIAS DA SILVA, EISELE, and LEPOW, 1027

EISEN, HERMAN N. See STEINER and EISEN, 1143, 1161, 1185

FELDMAN, JOSEPH D., and LEE, SUN. Renal homotransplantation in rats. I. Allogeneic recipients, 783

FRANCIS, LORRAINE. See ATKINS, BODEL, and FRANCIS, 357

FRIEDMAN, LILA H. See RABINER, HELBERT, LOPAS, and FRIEDMAN, 1127

GLASSOCK, R. J. See LERNER, GLASSOCK, and DIXON, 989

GLOBERSON, AMIELA, and AUERBACH, ROBERT. Reactivation in vitro of immunocompetence in irradiated mouse spleen, 223

GLYNN, M. F. See PACKHAM, WARRIOR, GLYNN, SENYI, and MUSTARD, 171

GOODLIN, ROBERT C. See HERZENBERG, HERZENBERG, GOODLIN, and RIVERA, 701

GOOR, RONALD S., and PAPPENHEIMER, A. M., JR. Studies on the mode of action of diptheria toxin. III. Site of toxin action in cell-free extracts, 899

— and —. IV. Specificity of the cofactor (NAD) requirement for toxin action in cell-free systems, 913

—, —, and AMES, ELIZABETH. Studies on the mode of action of diphtheria toxin. V. Inhibition of peptide bond formation by toxin and NAD in cell-free systems and its reversal by nicotinamide, 923

GREEN, IRA, PAUL, WILLIAM E., and BENACERRAF, BARUJ. A study of the passive transfer of delayed hypersensitivity to DNP-poly-L-lysine and DNP-GL in responder and nonresponder guinea pigs, 959

GUTTMANN, R. D., CARPENTER, C. B., LINDQUIST, R. R., and MERRILL, J. P. Renal transplantation in the inbred rat. III. A study of heterologous anti-thymocyte sera, 1099

HAHN, HELMUT H., CHAR, DAVID C., POSTEL, WILFRED B., and WOOD, W. BARRY, JR. Studies on the pathogenesis of fever. XV. The production of endogenous pyrogen by peritoneal macrophages, 385

HALL, C. E., HOLLAND, O. B., and HALL, O. Benign and malignant hypertension after adrenal enucleation in the rat. Relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35

HALL, O. See HALL, HOLLAND, and HALL, 35

HAMERMAN, DAVID, JANIS, ROSAMOND, and SMITH, CAROL. Cartilage matrix depletion by rheumatoid synovial cells in tissue culture, 1005

HARTER, DONALD H., and CHOPPIN, PURNELL W. Studies on pneumonia virus of mice (PVM) in cell culture. I. Replication in baby hamster kidney cells and properties of the virus, 251

HARTER, DONALD H. See COMPANS, HARTER, and CHOPPIN, 267

HAWIGER, J. See LIPIŃSKI, HAWIGER, and JELJASZEWICZ, 979

HAYES, BARBARA. See WANNAMAKER, HAYES, and YASMINEH, 497

HEINE, MARTHA. See DAHL, KNUDSEN, HEINE, and LEITL, 687
HELBERT, J. RAYMOND. See RABINER, HELBERT, LOPAS, and FRIEDMAN, 1127
HENNESSY, A. V. See DAVENPORT, HENNESSY, and MINUSE, 1049
HERZENBERG, LEONARD A. See HERZENBERG, HERZENBERG, GOODLIN, and RIVERA, 701
HERZENBERG, LEONORE A., HERZENBERG, LEONARD A., GOODLIN, ROBERT C., and RIVERA, EDNA C. Immunoglobulin synthesis in mice. Suppression by anti-allotype antibody, 701
HIRSCH, JAMES G. See PARR, SCHAEDLER, and HIRSCH, 523
HOLLAND, O. B. See HALL, HOLLAND, and HALL, 35
HUANG, CHEN YA. See MELLORS and HUANG, 53

IMHOFF, JOHN G. See BONVENTRE and IMHOFF, 1079
ITO, YOHEI. See OSATO and ITO, 881

JANIS, ROSAMOND. See HAMERMAN, JANIS, and SMITH, 1005
JELJASZEWICZ, J. See LIPIŃSKI, HAWIGER, and JELJASZEWICZ, 979
JENNINGS, JOHN F., and OATES, CAROLYN M. Studies on the nonspecific depression of the immune response, 557

KLEBANOFF, SEYMOUR, J. Iodination of bacteria: A bactericidal mechanism, 1063
KLEIN, PAUL A. See LINDENMANN and KLEIN, 93
KNUDSEN, KNUD D. See DAHL, KNUDSEN, HEINE, and LEITL, 687
KOENIG, M. GLENN. See DRUTZ, KOENIG, and ROGERS, 1087
KOFFLER, DAVID, SCHUR, PETER H., and KUNKEL, HENRY G. Immunological studies concerning the nephritis of systemic lupus erythematosus, 607
KUCHLER, ROBERT J. See MOEHRING, MOEHRING, KUCHLER, and SOLOTOROVSKY, 407
KUNKEL, HENRY G. See KOFFLER, SCHUR, and KUNKEL, 607

LANGSTON, DEBORAH PAVAN, and SOBIN, LESLIE H. The detection of a viral interfering substance in the Shope papilloma and the Vx7 and Vx2 carcinomas, 887
LEE, SUN. See FELDMAN and LEE, 783
LEITL, GEORGE. See DAHL, KNUDSEN, HEINE, and LEITL, 687
LEPOW, IRWIN H. See DIAS DA SILVA, EISELE, and LEPOW, 1027
LERNER, R. A., GLASSOCK, R. J., and DIXON, FRANK J. The role of antiglomerular basement membrane antibody in the pathogenesis of human glomerulonephritis, 989
LEVINE, LAWRENCE. See DAVISON, LEVINE, DRAKE, RUBIN, and BUMP, 331
LINDENMANN, JEAN, and KLEIN, PAUL A. Viral oncolysis: Increased immunogenicity of host cell antigen associated with influenza virus, 93
LINDQUIST, R. R. See GUTTMANN, CARPENTER, LINDQUIST, and MERRILL, 1099
LIPIŃSKI, B., HAWIGER, J., and JELJASZEWICZ, J. Staphylococcal clumping with soluble fibrin monomer complexes, 979
LOPAS, HARRY. See RABINER, HELBERT, LOPAS, and FRIEDMAN, 1127

MÄKELÄ, O. Cellular heterogeneity in the production of an antihapten antibody, 159
MALT, RONALD A., and MILLER, WALTER L. Sequential changes in classes of RNA during compensatory growth of the kidney, 1
MARBROOK, J. See ROBINSON, MARBROOK, and DIENER, 347

MARSH, JOHN C., BOGGS, DANE R., BISHOP, CARTER R., CHERVENICK, PAUL A., CARTWRIGHT, GEORGE E., and WINTROBE, MAXWELL M. Factors influencing hematopoietic spleen colony formation in irradiated mice. I. The normal pattern of endogenous colony formation, 833

—. See BOGGS, MARSH, CHERVENICK, BISHOP, CARTWRIGHT, and WINTROBE, 851

—. See BOGGS, MARSH, CHERVENICK, CARTWRIGHT, and WINTROBE, 871

MAXTED, W. R. See TOP, WANNAMAKER, MAXTED, and ANTHONY, 667

MCDEVITT, HUGH O., and SELA, MICHAEL. Genetic control of the antibody response. II. Further analysis of the specificity of determinant-specific control, and genetic analysis of the response to (H,G)-A--L in CBA and C57 mice, 969

MELLORS, ROBERT C., and HUANG, CHEN YA. Immunopathology of NZB/Bl mice. VI. Virus separable from spleen and pathogenic for Swiss mice, 53

MERRILL, J. P. See GUTTMANN, CARPENTER, LINDQUIST, and MERRILL, 1099

MILLER, JOHN J., III, and COLE, LEONARD J. Resistance of long-lived lymphocytes and plasma cells in rat lymph nodes to treatment with prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109

MILLER, WALTER L. See MALT and MILLER, 1

MILNER, KELSEY C. See RUDBACH, MILNER, and RIBI, 63

MINUSE, ELVA. See DAVENPORT, HENNESSY, and MINUSE, 1049

MISHELL, ROBERT I., and DUTTON, RICHARD W. Immunization of dissociated spleen cell cultures from normal mice, 423

MISHELL, ROBERT I. See DUTTON and MISHELL, 443

MOEHRING, JOAN M. See MOEHRING, MOEHRING, KUCHLER, and SOLOTOROVSKY, 407

MOEHRING, THOMAS J., MOEHRING, JOAN M., KUCHLER, ROBERT J., and SOLOTOROVSKY, MORRIS. The response of cultured mammalian cells to diphtheria toxin. I. Amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407

MÖLLER, ERNA. Cytotoxicity by non-immune allogeneic lymphoid cells. Specific suppression by antibody treatment of the lymphoid cells, 395

MOORE, M. A. S., and OWEN, J. J. T. Experimental studies on the development of the thymus, 715

MÜLLER, BRIGITTE. See RAJEWSKY, ROTTLÄNDER, PELTRE, and MÜLLER, 581

MÜLLER-EBERHARD, HANS J. See POLLEY and MÜLLER-EBERHARD, 1013

MURPHY, P. A. An assay method for leukocyte pyrogen, 745

—. Quantitative aspects of the release of leukocyte pyrogen from rabbit blood incubated with endotoxin, 763

—. The rate of release of leukocyte pyrogen from rabbit blood incubated with endotoxin, 771

MUSTARD, J. F. See PACKHAM, WARRIOR, GLYNN, SENYI, and MUSTARD, 171

NOWELL, PETER C. See WILSON, SILVERS, and NOWELL, 655

NUSSENZWEIG, VICTOR, and BENACERRAF, BARUJ. Antihapten antibody specificity and L chain type, 727

OATES, CAROLYN M. See JENNINGS and OATES, 557

OSATO, TOYORO, and ITO, YOHEI. In vitro cultivation and immunofluorescent studies of transplantable carcinomas Vx2 and Vx7. Persistence of a Shope virus–related antigenic substance in the cells of both tumors, 881

OWEN J. J. T. See MOORE and OWEN, 715

PACKHAM, M. A., WARRIOR, E. S., GLYNN, M. F., SENYI, A. S., and MUSTARD, J. F. Alteration of the response of platelets to surface stimuli by pyrazole compounds, 171

PAPPANHEIMER, A. M., JR. See GOOR and PAPPENHEIMER, 899, 913

—. See GOOR, PAPPENHEIMER, and AMES, 923

PARR, EARL L., SCHAEDLER, RUSSELL W., and HIRSCH, JAMES G. The relationship of polymorphonuclear leukocytes to infertility in uteri containing foreign bodies, 523

PAUL, WILLIAM E. See GREEN, PAUL, and BENACERRAF, 959

PEARLMAN, DAVID S. The influence of antibodies on immunologic responses. I. The effect on the response to particulate antigen in the rabbit, 127

PELTRE, G. See RAJEWSKY, ROTTLÄNDER, PELTRE, and MÜLLER, 581

POLLEY, MARGARET J., and MÜLLER-EBERHARD, HANS J. Enhancement of the hemolytic activity of the second component of human complement by oxidation, 1013

POSTEL, WILFRED B. See HAHN, CHAR, POSTEL, and WOOD, 385

PROSS, HUGH F. See EIDINGER and PROSS, 15

RABINER, S. FREDERICK, HELBERT, J. RAYMOND, LOPAS, HARRY, and FRIEDMAN, LILA H. Evaluation of a stroma-free hemoglobin solution for use as a plasma expander, 1127

RAJEWSKY, K., ROTTLÄNDER, ELKE, PELTRE, G., and MÜLLER, BRIGITTE. The immune response to a hybrid protein molecule. Specificity of secondary stimulation and of tolerance induction, 581

RIBI, EDGAR. See RUDBACH, MILNER, and RIBI, 63

RIVERA, EDNA C. See HERZENBERG, HERZENBERG, GOODLIN, and RIVERA, 701

ROBERTS, RICHARD B. The interaction in vitro between group B meningococci and rabbit polymorphonuclear leukocytes. Demonstration of type-specific opsonins and bactericidins, 795

ROBINSON, W. A., MARBROOK, J., and DIENER, E. Primary stimulation and measurement of antibody production to sheep red blood cells in vitro, 347

ROGERS, DAVID E. See DRUTZ, KOENIG, and ROGERS, 1087

ROITT, IVAN M. See BERG, DONIACH, and ROITT, 277

ROTHER, KLAUS. See ROTHER, BALLANTYNE, COHEN, and ROTHER, 565

ROTHER, URSULA, BALLANTYNE, DONALD L., JR., COHEN, CARL, and ROTHER, KLAUS. Allograft rejection in C'6 defective rabbits, 565

ROTTLÄNDER, ELKE. See RAJEWSKY, ROTTLÄNDER, PELTRE, and MÜLLER, 581

RUBIN, ALBERT. See DAVISON, LEVINE, DRAKE, RUBIN, and BUMP, 331

RUDBACH, JON A., MILNER, KELSEY C., and RIBI, EDGAR. Hybrid formation between bacterial endotoxins, 63

SÁNCHEZ, MARGARITA. See TAYLOR, TEJADA, and SÁNCHEZ, 539

SCHAEDLER, RUSSELL W. See PARR, SCHAEDLER, and HIRSCH, 523

SCHUR, PETER H. See KOFFLER, SCHUR, and KUNKEL, 607
SELA, MICHAEL. See MCDEVITT and SELA, 969
SENYI, A. S. See PACKHAM, WARRIOR, GLYNN, SENYI, and MUSTARD, 171
SILVERS, WILLYS K. See WILSON, SILVERS, and NOWELL, 655
SISKIND, GREGORY W. See BRODY, WALKER, and SISKIND, 81
SMITH, CAROL. See HAMERMAN, JANIS, and SMITH, 1005
SOBIN, LESLIE H. See LANGSTON and SOBIN, 887
SOLOTOROVSKY, MORRIS. See MOEHRING, MOEHRING, KUCHLER, and SOLOTOROVSKY, 407
SPIELVOGEL, ARTHUR R. An ultrastructural study of the mechanisms of platelet-endotoxin interaction, 235
STEINER, LISA A., and EISEN, HERMAN N. An assay for determining the relative affinity of trace amounts of labeled antibodies, 1143
— and —. The relative affinity of antibodies synthesized in the secondary response, 1185
— and —. Sequential changes in the relative affinity of antibodies synthesized during the immune response, 1161
STREILEIN, J. W., and BILLINGHAM, R. E. Cutaneous hypersensitivity reactions to cellular isoantigens in rats, 455
STROBER, WARREN. See WOCHNER, STROBER, and WALDMANN, 207

TAYLOR, FLETCHER B., JR., and WARD, PETER A. Generation of chemotactic activity in rabbit serum by plasminogen-streptokinase mixtures, 149
TAYLOR, PATRICIA E., TEJADA, CARLOS, and SÁNCHEZ, MARGARITA. The effect of malnutrition on the inflammatory response. As exhibited by the granuloma pouch of the rat, 539
TEJADA, CARLOS. See TAYLOR, TEJADA, and SÁNCHEZ, 539
TOP, FRANKLIN H., JR., WANNAMAKER, LEWIS W., MAXTED, W. R., and ANTHONY, BASCOM F. M antigens among Group A streptococci isolated from skin lesions, 667
TRENTIN, J. J. See CURRY and TRENTIN, 819

WALDMANN, THOMAS A. See WOCHNER, STROBER, and WALDMANN, 207
WALKER, J. GEOFFREY. See BRODY, WALKER, and SISKIND, 81
WANNAMAKER, LEWIS W., and YASMINEH, WALID. Streptococcal nucleases. I. Further studies on the A, B, and C enzymes, 475
—, HAYES, BARBARA, and YASMINEH, WALID. Streptococcal nucleases. II. Characterization of DNAse D, 497
—. See TOP, WANNAMAKER, MAXTED, and ANTHONY, 667
WARD, PETER A. A plasmin-split fragment of C'3 as a new chemotactic factor, 189
—. See TAYLOR and WARD, 149
WARRIOR, E. S. See PACKHAM, WARRIOR, GLYNN, SENYI, and MUSTARD, 171
WEISSMAN, IRVING L. Thymus cell migration, 291
WILSON, DARCY B. Quantitative studies on the mixed lymphocyte interaction in rats. I. Conditions and parameters of response, 625
—, SILVERS, WILLYS K., and NOWELL, PETER C. Quantitative studies on the mixed lymphocyte interaction in rats. II. Relationship of the proliferative response to the immunologic status of the donors, 655
WINTROBE, MAXWELL M. See BOGGS, MARSH, CHERVENICK, BISHOP, CARTWRIGHT, and WINTROBE, 851

WINTROBE, MAXWELL M. See BOGGS, MARSH, CHERVENICK, CARTWRIGHT, and WINTROBE, 871
—. See MARSH, BOGGS, BISHOP, CHERVENICK, CARTWRIGHT, and WINTROBE, 833
WOCHNER, R. DEAN, STROBER, WARREN, and WALDMANN, THOMAS A. The role of the kidney in the catabolism of Bence Jones proteins and immunoglobulin fragments, 207
WOOD, W. BARRY, JR. See HAHN, CHAR, POSTEL, and WOOD, 385

YASMINEH, WALID. See WANNAMAKER, HAYES, and YASMINEH, 497
—. See WANNAMAKER and YASMINEH, 475

INDEX TO SUBJECTS

ACID, amino, transport, accumulation and incorporation in normal and intoxicated sensitive cells, response of cultured mammalian cells to diphtheria toxin, 407
—, ribonucleic, sequential changes in classes of, during compensatory growth of kidney, 1
Actinomycin D, prednisone, cyclophosphamide, and 6-mercaptopurine treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Adenine dinucleotide, nicotinamide, and diphtheria toxin, inhibition of peptide bond formation in cell-free systems and its reversal by nicotinamide, 923
— dinucleotide, nicotinamide, requirement for diphtheria toxin action in cell-free systems, specificity, 913
Adrenal enucleation, benign and malignant hypertension after, relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35
Albumin, iodinated human serum, uptake and digestion of, by macrophages in vitro, 941
Allogeneic immunoglobulin and antibody synthesis after transfer of antigen-treated cells to newborn rabbits, 305
—, nonimmune, lymphoid cells, cytotoxicity by, specific suppression by antibody treatment, 395
—recipients, renal homotransplantation in, 783
Allograft rejection in C'6 defective rabbits, 565
Allotype, anti-, antibody, suppression by, immunoglobulin synthesis, 701
Amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, response of cultured mammalian cells to diptheria toxin, 407
Anaphylatoxin properties generated by interaction of first four components of complement and identification as cleavage product of C'3, 1027
Antibodies, equine, in man, 1049
—, influence of, on immunologic responses, effect on response to particulate antigen, 127
—, labeled, determination of relative affinity of trace amounts, 1143
—, mitochondrial, in primary biliary cirrhosis, localization of antigen to mitochondrial membranes, 277
— synthesized during immune response, sequential changes in relative affinity, 1161
— synthesized in secondary response, relative affinity, 1185
Antibody and allogeneic immunoglobulin synthesis after transfer of antigen-treated cells to newborn rabbits, 305
—, anti-allotype, suppression by, immunoglobulin synthesis, 701
—, antiglomerular basement membrane, in pathogenesis of human glomerulonephritis, 989
—, antihapten, cellular heterogeneity in the production of, 159
— formation, suppression of, and interaction of antigenic competition, by passive antibody on immune response, 81
— production, primary stimulation and measurement of, to red blood cells in vitro, 347

Antibody response, genetic control of, specificity of determinant-specific control, and genetic analysis of response to (H,G)-A--L, 969
—specificity, antihapten, and L chain type, 727
— treatment, specific suppression of lymphoid cells by, 395
Antigen carriers, cells and immunoglobulin producers, synthesis of antibody and allogeneic immunoglobulin after transfer of antigen-treated cells, 305
—, host cell, increased immunogenicity of, associated with influenza virus, viral oncolysis, 93
—, influence of antibodies on response to particulate, 127
—, localization to mitochondrial membranes, in primary biliary cirrhosis, 277
Antigenic competition and suppression of antibody formation, interaction of, by passive antibody on immune response, 81
—substance, Shope virus–related, persistence in cells of transplantable carcinomas Vx2 and Vx7, 881
Antigens, M, among Group A streptococci isolated from skin lesions, 667
Antihapten antibody, cellular heterogeneity in the production of, 159
— antibody specificity and L chain type, 727
Anti-thymocyte sera, heterologous, in renal transplantation, 1099

BACTERIA, iodination of, bactericidal mechanism, 1063
Bacterial endotoxins, hybrid formation between, 63
Bactericidal mechanism, iodination of bacteria, 1063
Bactericidins and opsonins, demonstration of type-specific, interaction in vitro between group B meningococci and polymorphonuclear leukocytes, 795
Benign and malignant hypertension after adrenal enucleation, relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35
Biliary cirrhosis, primary, mitochondrial antibodies in, localization of antigen to mitochondrial membranes, 277
Blood cells, red. *See* Erythrocytes.
— incubated with endotoxin, quantitative aspects of release of leukocyte pyrogen, 763
— incubated with endotoxin, rate of release of leukocyte pyrogen, 771

CANCER, Vx7 and Vx2 carcinomas, detection of viral interfering substance in Shope papilloma, 887
Carcinomas, Vx7 and Vx2, detection of viral interfering substance in, and Shope papilloma, 887
—Vx2 and Vx7, transplantable, in vitro cultivation and immunofluorescent studies, persistence of Shope virus–related antigenic substance in cells of, 881
Cartilage matrix depletion by rheumatoid synovial cells in tissue culture, 1005
Catabolism of Bence Jones proteins and immunoglobulin fragments, role of kidney in, 207
Cell antigen, host, increased immunogenicity of, associated with influenza virus, viral oncolysis, 93
— culture, genetic study of clones in Hurler's syndrome, with reference to Lyon hypothesis, 509
— culture, pneumonia virus in, replication in kidney cells and properties of virus, 251
— culture, pneumonia virus in, structure and morphogenesis of virus particle, 267
— cultures, dissociated spleen, immunization of, 423

Cell, heart, cultures, protein synthesis, mode of action of diphtheria toxin, 1079
— migration, thymus, 291
— populations and proliferation in in vitro response of spleen to heterologous erythrocytes, analysis by hot pulse technique, 443
Cell-free extracts, site of diphtheria toxin action, 899
— systems, inhibition of peptide bond formation by diphtheria toxin and NAD and reversal by nicotinamide, 923
— systems, specificity of cofactor (NAD) requirement for diphtheria toxin action, 913
Cells as antigen carriers and as immunoglobulin producers, synthesis of antibody and allogeneic immunoglobulin after transfer of antigen-treated cells to newborn rabbits, 305
—, cultured mammalian, response to diphtheria toxin, amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407
—, hematopoietic spleen colony, repetitive irradiation upon, 871
—, kidney, pneumonia virus in cell culture, replication in cells and properties of virus, 251
—, mononuclear, release of an endogenous pyrogen in vitro, 357
—, nonimmune allogeneic lymphoid, cytotoxicity by, specific suppression by antibody treatment, 395
—, normal and intoxicated sensitive, amino acid transport, accumulation, and incorporation in, response of cultured mammalian cells to diphtheria toxin, 407
—, plasma, and lymphocytes, resistance to prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109
— of transplantable carcinomas Vx2 and Vx7, persistence of Shope virus–related antigenic substance, in vitro cultivation and immunofluorescent studies, 881
Cells, red blood, *See* Erythrocytes.
—, rheumatoid synovial, in tissue culture, cartilage matrix depletion, 1005
Cellular heterogeneity in production of antihapten antibody, 159
— isoantigens, cutaneous hypersensitivity reactions, 455
Chain, L type, and antihapten antibody specificity, 727
Chemotactic activity in serum, generation by plasminogen-streptokinase mixtures, 149
— factor, new, plasmin-split fragment of C′3, 189
Chlorothiazide, hydro-, response to, benign and malignant hypertension after adrenal enucleation, relationship to salt intake, and similarity to essential hypertension, 35
Cirrhosis, primary biliary, mitochondrial antibodies in, localization of antigen to mitochondrial membranes, 277
Clones, genetic study in cell culture, Hurler's syndrome, with reference to Lyon hypothesis, 509
Complement, allograft rejection in C′6 defective rabbits, 565
— as mediator of inflammation, anaphylatoxin properties generated by and identification of cleavage product of C′3, 1027
—, plasmin-split fragment of C′3 as new chemotactic factor, 189
—, second component of human, enhancement of hemolytic activity of, by oxidation, 1013
Cultivation in vitro and immunofluorescent studies of transplantable carcinomas Vx2 and Vx7, 881
Culture, cell, genetic study of clones in, Hurler's syndrome, with reference to Lyon hypothesis, 509
—, cell, pneumonia virus in, replica-

tion in kidney cells and properties of virus, 251
Culture, cell, pneumonia virus in, structure and morphogenesis of virus particle, 267
—, mammalian cells, response to diphtheria toxin, amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407
—, tissue, cartilage matrix depletion by rheumatoid synovial cells in, 1005
Cultures, dissociated spleen cell, immunization of, 423
—, heart cell, protein synthesis, mode of action of diphtheria toxin, 1079
Cutaneous hypersensitivity reactions to cellular isoantigens, 455
Cyclophosphamide, prednisone, 6-mercaptopurine, and actinomycin D treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Cytotoxicity by nonimmune allogeneic lymphoid cells, specific suppression by antibody treatment of lymphoid cells, 395

DEOXYRIBONUCLEASE D, characterization of, streptococcal nucleases, 497
Digestion and uptake of iodinated human serum albumin by macrophages in vitro, 941
2,4-Dinitrophenyl-poly-L-lysine, and DNP-GL in responder and nonresponder guinea pigs, study of passive transfer of delayed hypersensitivity to, 959
Dinucleotide, nicotinamide adenine, and diphtheria toxin, inhibition of peptide bond formation by, in cell-free systems and its reversal by nicotinamide, 923
—, nicotinamide adenine, requirement for diphtheria toxin action in cell-free systems, specificity, 913
Diphtheria toxin, inhibition of peptide bond formation by toxin and NAD in cell-free systems and reversal by nicotinamide, 923
Diphtheria toxin, mode of action in protein synthesis in heart cell cultures, 1079
— toxin, response of cultured mammalian cells to, amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407
— toxin, site of toxin action in cell-free extracts, 899
— toxin, specificity of cofactor (NAD) requirement for toxin action in cell-free systems, 913

ENDOGENOUS colony formation, normal pattern, hematopoietic spleen colony, in irradiated mice, 833
— pyrogen in vitro, release from mononuclear cells, 357
— pyrogen produced by peritoneal macrophages, pathogenesis of fever, 385
Endotoxin, blood incubated with, quantitative aspects of release of leukocyte pyrogen, 763
—, blood incubated with, rate of release of leukocyte pyrogen, 771
Endotoxin-platelet interaction, ultrastructural study of mechanisms, 235
Endotoxins, bacterial, hybrid formation between, 63
Enucleation, adrenal, benign and malignant hypertension after, relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35
Enzymes, studies on A, B, and C, streptococcal nucleases, 475
Equine antibodies in man, 1049
Erythematosus, systemic lupus, immunological studies concerning the nephritis of, 607
Erythrocytes, heterologous, in vitro response of spleen to, cell popula-

tions and cell proliferation, analysis by hot pulse technique, 443
Erythrocytes, immune response to, immunological events utilizing the plaque technique, 15
—, in vitro, primary stimulation and measurement of antibody production to, 347

FEVER, pathogenesis of, production of endogenous pyrogen by peritoneal macrophages, 385
Fibrin monomer complexes, soluble, staphylococcal clumping with, 979

GENETIC control of antibody response, specificity of determinant-specific control, and genetic analysis of response to (H, G)-A--L, 969
— influence on development of salt hypertension in parabiotic rats, humoral factor, chronic excess salt ingestion, 687
— study of clones in cell culture and Hurler's syndrome, with reference to Lyon hypothesis, 509
Glomerular, anti-, basement membrane antibody in pathogenesis of human glomerulonephritis, 989
Glomerulonephritis, human, role of antiglomerular basement membrane antibody in pathogenesis of, 989
L-Glutamic acid, DNP-, and DNP-poly-L-lysine, passive transfer of delayed hypersensitivity to, 959
Granuloma pouch, malnutrition of, inflammatory response exhibited by, 539

HAPTEN, anti-, antibody, cellular heterogeneity in production of, 159
Heart cell cultures, protein synthesis, mode of action of diphtheria toxin, 1079
Hemagglutinin, phyto-, and hematopoietic regeneration, hematopoietic spleen colony, 819
Hematopoietic spleen colony formation, effect of repetitive irradiation upon proliferative ability of colony-forming cells, 871
— spleen colony formation in irradiated mice, effect of foreign materials, 851
— spleen colony formation in irradiated mice, normal pattern of endogenous colony formation, 833
— spleen colony, phytohemagglutinin and hematopoietic regeneration, 819
Hemoglobin solution, stroma-free, evaluation for use as plasma expander, 1127
Hemolytic activity of second component of human complement, enhancement by oxidation, 1013
Heterologous anti-thymocyte sera in renal transplantation, 1099
— erythrocytes, in vitro response of spleen to, cell populations and proliferation, 443
Homotransplantation, renal, allogeneic recipients, 783
Host cell antigen, increased immunogenicity of, associated with influenza virus, viral oncolysis, 93
Hot pulse technique, analysis by, cell populations and proliferation in the in vitro response of spleen to heterologous erythrocytes, 443
Humoral factor, evidence for, genetic influence on development of salt hypertension in parabiotic rats, chronic excess salt ingestion, 687
Hurler's syndrome, genetic study of clones in cell culture with reference to Lyon hypothesis, 509
Hydrochlorothiazide, response to, benign and malignant hypertension after adrenal enucleation, relationship to salt intake, and similarity to essential hypertension, 35
Hypersensitivity, cutaneous reactions to cellular isoantigens, 455

Hypersensitivity, delayed, passive transfer of, to DNP-poly-L-lysine and DNP-GL in responder and nonresponder guinea pigs, 959
Hypertension, benign and malignant, after adrenal enucleation, relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35
—, essential, similarity to benign and malignant hypertension after adrenal enucleation, relationship to salt intake, and response to hydrochlorothiazide, 35
—, salt, genetic influence on development in parabiotic rats, humoral factor, chronic excess salt ingestion, 687

IMMUNE, non-, allogeneic lymphoid cells, cytotoxicity by, specific suppression by antibody treatment of lymphoid cells, 395
— response, interaction of antigenic competition and suppression of antibody formation by passive antibody, 81
— response, nonspecific depression of, 557
— response, sequential changes in relative affinity of antibodies synthesized during, 1161
— response to hybrid protein molecule, specificity of secondary stimulation and tolerance induction, 581
— response to sheep erythrocytes in mouse, immunological events utilizing plaque technique, 15
Immunization of dissociated spleen cell cultures, 423
Immunocompetence in irradiated spleen, reactivation in vitro, 223
Immunofluorescent studies and in vitro cultivation of transplantable carcinomas Vx2 and Vx7, 881
Immunogenicity of host cell antigen, increased, associated with influenza virus, viral oncolysis, 93
Immunoglobulin fragments and Bence Jones proteins, role of kidney in catabolism of, 207
— producers, cells and antigen carriers, synthesis of antibody and allogeneic immunoglobulin after transfer of antigen-treated cells to newborn rabbits, 305
— synthesis, suppression by anti-allotype antibody, 701
Immunologic responses, influence of antibodies on response to particulate antigen, 127
— status of donors, relationship to proliferative response in mixed lymphocyte interaction, 655
Immunological studies concerning nephritis of systemic lupus erythematosus, 607
Immunopathology, virus separable from spleen and pathogenic for Swiss mice, 53
Inflammation, complement as mediator of, 1027
Inflammatory response, malnutrition, exhibited by granuloma pouch, 539
Influenza virus, increased immunogenicity of host cell antigen associated with, viral oncolysis, 93
Inhibition of peptide bond formation by diphtheria toxin and NAD in cell-free systems and reversal by nicotinamide, 923
Intoxicated and normal sensitive cells, amino acid transport, accumulation, and incorporation in, response of cultured mammalian cells to diphtheria toxin, 407
Iodinated human serum albumin, uptake and digestion of, by macrophages in vitro, 941
Iodination of bacteria, a bactericidal mechanism, 1063
Irradiated mice, hematopoietic spleen colony formation in, and effect of foreign materials, 851
— mice, hematopoietic spleen colony formation in, and effect of repetitive irradiation upon proliferative ability of colony-forming cells, 871

Irradiated mice, hematopoietic spleen colony formation in, normal pattern of endogenous colony formation, 833
Irradiation, spleen, reactivation in vitro of immunocompetence, 223
Isoantigens, cellular, cutaneous hypersensitivity reactions to, 455

KIDNEY cells, pneumonia virus in cell culture, replication in cells and properties of virus, 251
— homotransplantation in allogeneic recipients, 783
— in catabolism of Bence Jones proteins and immunoglobulin fragments, 207
—, sequential changes in classes of RNA during compensatory growth, 1
— transplantation in heterologous anti-thymocyte sera, 1099

LESIONS, skin, M antigens among Group A streptococci isolated from, 667
Leukocyte pyrogen, assay method for, 745
— pyrogen, quantitative aspects of the release from blood incubated with endotoxin, 763
— pyrogen, rate of release from blood incubated with endotoxin, 771
Leukocytes, polymorphonuclear, interaction in vitro with group B meningococci and demonstration of type-specific opsonins and bactericidins, 795
—, polymorphonuclear, relationship to infertility in uteri containing foreign bodies, 523
Lupus erythematosus, systemic, immunological studies concerning the nephritis of, 607
Lymph nodes, resistance of long-lived lymphocytes and plasma cells in, to treatment with prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109
Lymphocyte, mixed, interaction, conditions and parameters of response, 625
Lymphocyte, mixed, interaction, relationship of proliferative response to immunologic status of donors, 655
Lymphocytes and plasma cells in lymph nodes, long-lived, resistance to treatment with prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109
Lymphoid cells, nonimmune allogeneic, cytotoxicity by, specific suppression by antibody treatment of lymphoid cells, 395
Lyon hypothesis, particular reference to in genetic study of clones in cell culture, Hurler's syndrome, 509
L-Lysine, 2,4-dinitrophenyl-poly-, and DNP-GL in responder and nonresponder guinea pigs, passive transfer of delayed hypersensitivity to, 959

MACROPHAGES in vitro, uptake and digestion of iodinated human serum albumin by, 941
—, peritoneal, production of endogenous pyrogen by, pathogenesis of fever, 385
Malignant and benign hypertension after adrenal enucleation, relationship to salt intake, response to hydrochlorothiazide, and similarity to essential hypertension, 35
Malnutrition of inflammatory response exhibited by granuloma pouch, 539
Mammalian cells, cultured, response to diphtheria toxin, amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407
Man and equine antibodies, 1049
—, glomerulonephritis in, anti-glomerular basement membrane antibody in pathogenesis of, 989
—, second component of complement, enhancement of hemolytic activity of, by oxidation, 1013

Man, serum albumin, iodinated, uptake and digestion by macrophages in vitro, 941
Membrane, anti-glomerular basement, antibody in pathogenesis of human glomerulonephritis, 989
Membranes, mitochondrial, localization of antigen to, mitochondrial antibodies in primary biliary cirrhosis, 277
Meningococci, group B, interaction in vitro with polymorphonuclear leukocytes and demonstration of type-specific opsonins and bactericidins, 795
Mercaptopurine, 6-, prednisone, cyclophosphamide, and actinomycin D treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Migration, thymus cell, 291
Mitochondrial antibodies in primary biliary cirrhosis, localization of antigen to mitochondrial membranes, 277
Molecule, hybrid protein, immune response to, specificity of secondary stimulation and of tolerance induction, 581
Monomer, soluble fibrin complexes, staphylococcal clumping with, 979
Mononuclear cells, release of endogenous pyrogen in vitro, 357
Morphogenesis and structure of virus particle, pneumonia virus in cell culture, 267

NEPHRITIS, glomerulo-, human, role of anti-glomerular basement membrane antibody in pathogenesis of, 989
— of systemic lupus erythematosus, immunological studies concerning, 607
Newborn rabbits, synthesis of antibody and allogeneic immunoglobulin after transfer of antigen-treated cells, 305
Nicotinamide adenine dinucleotide and diphtheria toxin, inhibition of peptide bond formation in cell-free systems and its reversal by nicotinamide, 923
— adenine dinucleotide requirement for diphtheria toxin action in cell-free systems, specificity, 913
—, reversal of inhibition of peptide bond formation by diphtheria toxin and NAD in cell-free systems, 923
Nodes, lymph, resistance of long-lived lymphocytes and plasma cells to, treatment with prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109
Nucleases, streptococcal, characterization of DNAse D, 497
—, streptococcal, studies on A, B, and C enzymes, 475
Nucleic acid, ribo-, sequential changes in classes of, compensatory growth of kidney, 1

ONCOLYSIS, viral, increased immunogenicity of host cell antigen associated with influenza virus, 93
Opsonins and bactericidins, demonstration of type-specific, interaction in vitro between group B meningococci and polymorphonuclear leukocytes, 795
Oxidation, enhancement of hemolytic activity of second component of human complement by, 1013

PAPILLOMA, Shope, detection of viral interfering substance in, Vx7 and Vx2 carcinomas, 887
Parabiotic rats, genetic influence on the development of salt hypertension in, humoral factor, chronic excess salt ingestion, 687
Parameters and conditions of response in mixed lymphocyte interaction, 625
Pathogenesis of fever, production of endogenous pyrogen by peritoneal macrophages, 385

Pathogenesis of human glomerulonephritis, anti-glomerular basement membrane antibody, 989
Pathogenic virus, for Swiss mice, separable from spleen, immunopathology, 53
Peptide bond formation, inhibition by diphtheria toxin and NAD in cell-free systems and reversal by nicotinamide, 923
Peritoneal macrophages, production of endogenous pyrogen by, pathogenesis of fever, 385
Phosphamide, cyclo-, prednisone, 6-mercaptopurine, and actinomycin D treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Phytohemagglutinin and hematopoietic regeneration, hematopoietic spleen colony, 819
Plaque technique in immune response to sheep erythrocytes in mouse, 15
Plasma cells and lymphocytes in lymph nodes, long-lived, resistance to treatment with prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D, 109
— expander, evaluation of stroma-free hemoglobin solution, 1127
Plasminogen-streptokinase mixtures, generation of chemotactic activity in serum by, 149
Plasmin-split fragment of C'3 as new chemotactic factor, 189
Platelet-endotoxin interaction, ultrastructural study of mechanisms, 235
Platelets, alteration of response of, to surface stimuli by pyrazole compounds, 171
Pneumonia virus in cell culture, replication in kidney cells and properties of virus, 251
— virus in cell culture, structure and morphogenesis of virus particle, 267
Polymorphonuclear leukocytes, interaction in vitro with group B meningococci and demonstration of type-specific opsonins and bactericidins, 795
Polymorphonuclear leukocytes, relationship to infertility in uteri containing foreign bodies, 523
Polypeptide antigens, multichain synthetic, specificity of determinant-specific control and genetic analysis of response to (H, G)-A--L, 969
Prednisone, cyclophosphamide, 6-mercaptopurine, and actinomycin D treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Protein molecule, hybrid, immune response of, specificity of secondary stimulation and of tolerance induction, 581
— synthesis in heart cell cultures, mode of action of diphtheria toxin, 1079
Proteins, Bence Jones, and immunoglobulin fragments, role of kidney in catabolism of, 207
Purine, 6-mercapto-, prednisone, cyclophosphamide, and actinomycin D treatment, resistance of long-lived lymphocytes and plasma cells in lymph nodes, 109
Pyrazole compounds, alteration of response of platelets to surface stimuli, 171
Pyrogen, endogenous, in vitro, release from mononuclear cells, 357
—, endogenous, produced by peritoneal macrophages, pathogenesis of fever, 385
—, leukocyte, assay method for, 745
—, leukocyte, quantitative aspects of the release from blood incubated with endotoxin, 763
—, leukocyte rate of release from blood incubated with endotoxin, 771

RENAL. *See* Kidney.

Reticuloendothelial blockade, mechanism, 1087

Rheumatoid synovial cells in tissue culture, cartilage matrix depletion, 1005
Ribonuclease, deoxy-, D, characterization of, streptococcal nucleases, 497
Ribonucleic acid, sequential changes in classes of, during compensatory growth of kidney, 1

SALT, chronic excess ingestion of, genetic influence on development of salt hypertension in parabiotic rats, humoral factor, 687
— intake, relationship to benign and malignant hypertension after adrenal enucleation, response to hydrochlorothiazide, and similarity to essential hypertension, 35
Sensitive cells, normal and intoxicated, amino acid transport, accumulation, and incorporation in, response of cultured mammalian cells to diphtheria toxin, 407
Sera, heterologous anti-thymocyte, in renal transplantation, 1099
Serologic specificity of tropocollagen telopeptides, 331
Serum, generation of chemotactic activity in, by plasminogen-streptokinase mixtures, 149
—, iodinated human albumin, uptake and digestion of, by macrophages in vitro, 941
Shope papilloma, detection of viral interfering substance in, and Vx7 and Vx2 carcinomas, 887
— virus–related antigenic substance, persistence in cells of transplantable carcinomas Vx2 and Vx7, in vitro cultivation and immunofluorescent studies, 881
Skin lesions, M antigens among Group A streptococci isolated from, 667
Specificity of cofactor (NAD) requirement for diphtheria toxin action in cell-free systems, 913
— of determinant-specific control and genetic analysis of response to (H, G)-A--L, genetic control of antibody response, 969
Specificity of secondary stimulation and of tolerance induction, immune response to hybrid protein molecule, 581
—, serologic, of tropocollagen telopeptides, 331
Spleen colony formation, hematopoietic, effect of repetitive irradiation upon proliferative ability of colony-forming cells, 871
— colony formation, hematopoietic, in irradiated mice, effect of foreign materials, 851
— colony formation, hematopoietic, in irradiated mice, normal pattern of endogeneous colony formation, 833
— colony, hematopoietic, phytohemagglutinin and hematopoietic regeneration, 819
—, dissociated, cell cultures, immunization of, 423
—, in vitro response to heterologous erythrocytes, cell populations and proliferation, analysis by hot pulse technique, 443
—, irradiated, reactivation in vitro of immunocompetence, 223
—, virus separable from, and pathogenic for Swiss mice, immunopathology, 53
Staphylococcal clumping with soluble fibrin monomer complexes, 979
Streptococcal nucleases, characterization of DNAse D, 497
— nucleases, studies on A, B, and C enzymes, 475
Streptococci, Group A, isolated from skin lesions, M antigens among, 667
Streptokinase-plasminogen mixtures, generation of chemotactic activity in serum by, 149
Stroma-free hemoglobin solution for use as plasma expander, evaluation, 1127

Suppression by anti-allotype antibody, immunoglobulin synthesis, 701
— of antibody formation and interaction of antigenic competition, by passive antibody on immune response, 81
—, specific, by antibody treatment of the lymphoid cells, cytotoxicity by nonimmune allogeneic lymphoid cells, 395
Synovial cells, rheumatoid, in tissue culture, cartilage matrix depletion, 1005

TELOPEPTIDES, tropocollagen, serologic specificity of, 331
Thymus cell migration, 291
—, development of, 715
Tissue culture, cartilage matrix depletion by rheumatoid synovial cells in, 1005
Tolerance induction, specificity of secondary stimulation and of, immune response to hybrid protein molecule, 581
Toxin, diphtheria, inhibition of peptide bond formation by toxin and NAD in cell-free systems and reversal by nicotinamide, 923
—, diptheria, mode of action in protein synthesis in heart cell cultures, 1079
—, diphtheria, response of cultured mammalian cells to, amino acid transport, accumulation, and incorporation in normal and intoxicated sensitive cells, 407
—, diphtheria, site of toxin action in cell-free extracts, 899
—, diphtheria, specificity of cofactor (NAD) requirement for toxin action in cell-free systems, 913
Trace amounts of labeled antibodies, determination of relative affinity, 1143
Transplantable carcinomas, Vx2 and Vx7, in vitro cultivation and immunofluorescent studies, 881
Transplantation, homo-, renal, allogeneic recipients, 783
—, renal, heterologous anti-thymocyte sera, 1099
Tropocollagen telopeptides, serologic specificity of, 331
Tumors, persistence of Shope virus–related antigenic substance in cells, in vitro cultivation and immunofluorescent studies of transplantable carcinomas Vx2 and Vx7, 881

UTERI containing foreign bodies, infertility in, relationship of polymorphonuclear leukocytes, 523

VIRAL interfering substance, detection in Shope papilloma and Vx7 and Vx2 carcinomas, 887
— oncolysis, increased immunogenicity of host cell antigen associated with influenza virus, 93
Virus, influenza, increased immunogenicity of host cell antigen associated with, viral oncolysis, 93
—, pneumonia, in cell culture, replication in kidney cells and properties of virus, 251
—, pneumonia, in cell culture, structure and morphogenesis of virus particle, 267
— separable from spleen and pathogenic for Swiss mice, immunopathology, 53
Virus–related antigenic substance, Shope, persistence in cells of transplantable carcinomas Vx2 and Vx7, in vitro cultivation and immunofluorescent studies, 881